



Mapped, edited, and published by the Geological Survey
Control by USGS, NOS/NOAA, and USCE

Topography by photogrammetric methods from aerial photographs
taken 1951. Field checked 1954. Revised from aerial
photographs taken 1975. Field checked 1975. Map edited 1978

Polycyclic projection. 10,000-foot grid ticks based on
Kentucky coordinate system, south zone and Tennessee
coordinate system. 1000-meter Universal Transverse
Mercator grid, zone 16. 1927 North American Datum
to place on the predicted North American Datum 1983
move the projection lines 5 meters south and 4 meters west
as shown by dashed corner ticks

Fine red dashed lines indicate selected fence and field
lines where generally visible on aerial photographs. This
information is unchecked

Dale Hollow Lake is subject to controlled inundation to 663 feet
Underwater contours compiled from USCE charts dated 1942



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092,
KENTUCKY GEOLOGICAL SURVEY, LEXINGTON, KENTUCKY 40506
KENTUCKY DEPARTMENT OF COMMERCE, FRANKFORT, KENTUCKY 40601
AND TENNESSEE DEPARTMENT OF COMMERCE, NASHVILLE, TENN. 37219
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

A.H. ROBINSON
MAP LIBRARY
SEP 02 1983



| ROAD CLASSIFICATION | |
|------------------------------------|--|
| Primary highway, hard surface | Light-duty road, hard or improved surface |
| Secondary highway, hard surface | Unimproved road |
| Interstate Route | U. S. Route |
| | State Route |

ALBANY, KY.-TENN.
NW/4 BYRDSTOWN 15' QUADRANGLE
N3637.5-W8507.5/7.5

1978
PHOTOREVISED 1982
DMA 3957 II NW-SERIES V853