



Topography by USGS and TVA by multiplex methods from aerial photographs taken 1948. Field examination by TVA, 1951

Polyconic projection. 1927 North American datum 10,000-foot grid based on Kentucky (South) rectangular coordinate system 1000-meter Universal Transverse Mercator grid ticks, zone 16, shown in blue




UTM GRID AND 1951 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET



CONTOUR INTERVAL 10 FEET DASHED LINES REPRESENT HALF-INTERVAL CONTOURS DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON 25, D.C., KENTUCKY GEOLOGICAL SURVEY, LEXINGTON, KENTUCKY, AND KENTUCKY DEPARTMENT OF COMMERCE, FRANKFORT, KENTUCKY, A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



 Heavy-duty______
 4 LANE 16 LANE
 Improved dirt____

 Medium-duty______
 4 LANE 16 LANE
 Unimproved dirt____

Loose-surface, graded, or narrow hard-surface - - -🔟 U. S. Route 100 State Route

U.S.G.S.

HARDIN, KY. Se/4 benton 15' quadrangle

N3645-W8815/7.5

1951

AMS 3357 IV SE-SERIES V853

MAR 1 7 1965

2305