


Prepared under the direction of the President, Mississippi River Commission, by the Memphis District, Corps of Engineers, U. S. Army, Memphis, Tennessee. Edited and published by Mississippi River Commission, Corps of Engineers, U. S. Army, Vicksburg, Mississippi. Control by Mississippi River Commission and Memphis District, Corps of Engineers, U. S. Army, U. S. Coast & Geodetic Survey and U. S. Geological Survey. Polyconic Projection, 1927 North American Datum. Descriptions, elevations and geodetic positions of permanent survey marks may be obtained from Memphis District, Corps of Engineers, U. S. Army, Memphis, Tenn. Topography by Corps of Engineers, U. S. Army, Memphis District 1929-1952 and U. S. Geological Survey 1951. Aerial Photography, 1949-1950. Planimetry and Topography Field Checked 1952. Political boundaries are shown according to best available information. Work under Flood Control Act shown as of March 1955. This map complies with national map accuracy standards.



Scale 1:62500  
1 1/2 0 1 2 3 4 Miles  
1000 500 0 1000 2000 3000 4000 5000 6000 7000 Yards  
1500 0 1000 2000 3000 4000 5000 6000 7000 Meters  
Contour interval 5 and 20 feet changing on the 320 foot contour  
DATUM IS MEAN SEA LEVEL  
ONE THOUSAND METER UNIVERSAL TRANSVERSE MERCATOR GRID ZONE 18 IS INDICATED BY TICKS OUTSIDE OF THE NEATLINE  
MISSOURI STATE GRID ZONE EAST IS INDICATED BY DOTTED TICKS OUTSIDE THE NEATLINE AT 10,000 FOOT INTERVALS  
KENTUCKY STATE GRID ZONE SOUTH IS INDICATED BY DASH DOT TICKS OUTSIDE THE NEATLINE AT 10,000 FOOT INTERVALS

Additional copies may be procured from  
The President, Mississippi River Commission  
Corps of Engineers, U. S. Army  
Vicksburg, Miss. 20 cents per copy

APPROXIMATE MEAN DECLINATION 1950 FOR CENTER OF SHEET  
ANNUAL MAGNETIC CHANGE 1' EASTERLY

Distances on Mississippi River above Head of Passes to confluence of Ohio and Mississippi Rivers are shown at 5-mile intervals.  
Distances on Mississippi River above confluence of Ohio and Mississippi Rivers are shown at 5-mile intervals.  
Distances on Ohio River below Point Bridge, Pittsburg are shown at 5-mile intervals.

LEGEND  
Levee  
Retards and dikes  
Revetment  
River gate  
Secondary levee  
Levee mile post  
Towhead  
LMP  
TH  
ROAD DATA 1954  
In developed areas, only through roads are classified.  
Hard surface, heavy duty  
Hard surface, medium duty  
Loose surface, graded and drained,  
or narrow hard surface road  
Improved dirt road or street  
Unimproved dirt road; trail  
Route markers: Federal; State

WICKLIFFE, KY.-MO.-ILL.  
EDITION OF 1955  
N3645-W8900/15

UNIVERSITY OF WISCONSIN  
Department of Geography