



Prepared by the U.S. Army Topographic Command (TPC), Washington, D.C. Compiled in 1949 from United States quadrangles 1:250,000, 1:24,000, 1:48,000, and 1:62,500, 1905-48; County Highway Maps, 1937-47. Planimetry partially revised from aerial photographs taken 1936-42. Revised by the U.S. Geological Survey 1969.

10,000-meter Universal Transverse Mercator grid ticks, zone 16, shown in blue.
Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.




CONTOUR INTERVAL 100 FEET

TRANSVERSE MERCATOR PROJECTION

1965 MAGNETIC DECLINATION FROM TRUE NORTH FOR THIS SHEET VARIES FROM 4° 15' (80 MILES) EASTERLY FOR THE CENTER OF THE WEST EDGE TO 3° 30' (80 MILES) WESTERLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242

LOCATION DIAGRAM




MAP AND AIR PHOTO
LIBRARY

MAR 24 1972

University of Wisconsin

SECTIONED TOWNSHIP



PADUCAH, KY.; ILL.; MO.; IND.

1949
REVISED 19693700
8250
1:250,000BOO6-42
PADUCAH, KY.