

Mapped, edited, and published by the Geological Survey in cooperation with the Defense Mapping Agency. Revised in cooperation with State of Ohio agencies. Control by USGS, NOS/NOAA, and USCE.

Topography by photogrammetric methods from aerial photographs taken 1954. Field checked 1955. Revised from aerial photographs taken 1964. Field checked 1966.

Polyconic projection, 10,000-foot grid ticks based on Ohio coordinate system, south zone. 1000-meter Universal Transverse Mercator grid ticks, zone 16, shown in blue. 1927 North American Datum. To place on the predicted North American Datum 1983 move the projection lines 3 meters south and 6 meters west as shown by dashed corner ticks.

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked.


Red tint indicates areas in which only landmark buildings are shown.

Area west of the Great Miami River lies within the Miami River Survey Area east of the Great Miami River lies within the Between the Miamis Land Lines based on the Great Miami River Base.

There may be private inholdings within the boundaries of the National or State reservations shown on this map.

Revisions shown in purple and woodland compiled in cooperation with State of Ohio agencies from aerial photographs taken 1979 and other sources. This information not field checked. Map edited 1981.

Purple tint indicates extension of urban areas.



ROAD CLASSIFICATION

Heavy-duty	Light-duty
Medium-duty	Unimproved dirt
Interstate Route	U.S. Route
	State Route



DAYTON SOUTH, OHIO
N 3937.5—W 8407.5/7.5

1966
PHOTOGRAPHED 1981
DMA 4163 II NW-SERIES V852

RETURN TO:
USGS AND HISTORICAL MAP ARCHIVES

MAY 26 1982