



Produced by the United States Geological Survey
Topography compiled 1958. Planimetry derived from imagery taken 1960. Photospectroscopy using imagery dated 1994; no major culture or drainage changes observed. Survey control current as of 1960. Boundaries revised 1998.
North American Datum of 1927 (NAD 27)
Projection: Ohio coordinate system, south zone (Lambert conformal conic)
10 000-foot ticks: Ohio coordinate system, south zone and West Virginia coordinate system, north zone
1000-meter Universal Transverse Mercator grid, zone 17
North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.
The Ohio portion of this map is in Washington County. Information shown in purple may not meet USGS content standards and may conflict with previously mapped contours.
Land lines based on Ohio River Base. Dotted land lines established by private subdivision of Ohio Company Purchase.



CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road

○ Interstate Route ◻ U. S. Route ○ State Route

FLEMING, OH-WV
1994
NIMA 4662 I-N-E-SERIES V852

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

MAY 31 1998
REC'D FILE COPY

