



Produced by the United States Geological Survey  
Topography compiled 1953. Planimetry derived from imagery  
taken 1995 and other sources. Public Land Survey System and  
survey control current as of 1954.  
North American Datum of 1983 (NAD 83). Projection and  
1 000-meter grid: Universal Transverse Mercator, zone 17  
2 500-meter ticks: Ohio Coordinate System of 1983  
(south zones)  
North American Datum of 1927 (NAD 27) is shown by dashed  
corner ticks. The values of the shift between NAD 83 and  
NAD 27 for 7.5-minute intersections are obtainable from  
National Geodetic Survey NADCON software.  
Entire area lies within the United States Military District  
Land lines based on the Base Line of the United States  
Military District  
Landmark buildings verified 1954

UTM GRID AND 1998 MAGNETIC NORTH  
DECLINATION AT CENTER OF SHEET

SCALE 1:24 000  
KILOMETERS  
METERS  
MILES  
FEET

CONTOUR INTERVAL 10 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048



QUADRANGLE LOCATION

ROAD CLASSIFICATION  
Primary highway  
hard surface .....  
Secondary highway  
hard surface .....  
Light-duty road, hard or  
improved surface .....  
Unimproved road .....  
Interstate Route  
U.S. Route  
State Route

1	2	3	1 Powell
			2 Galena
			3 Sunbury
4	5	6	4 Northwest Columbus
			5 New Albany
			6 Southwest Columbus
6	7	8	7 Southeast Columbus
			8 Reynoldsburg

NORTHEAST COLUMBUS, OH

1995

NIMA 4664 III SW-SERIES V852

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

HISTORICAL MAP ARCHIVES

RECEIVED  
NOV 3 0 1993



ISBN 0-607-64760-0  
9 780607 647600