



Prepared by the U.S. Army Topographic Command (RMND), Washington, D.C. Compiled in 1955 from United States quadrangles, 1:24,000, 1:50,000, and 1:62,500, 1920-51. Planimetry revised in part from aerial photographs taken 1949-51. Map field checked 1957. Revised by the U.S. Geological Survey 1969.

Area covered by dashed light-blue pattern is subject to controlled inundation. 100,000-foot grid based on Ohio coordinate system, north and south zones and Pennsylvania coordinate system, south zone. Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

LEGEND

Figures in red denote approximate distances in miles between stars

POPULATED PLACES

- Over 500,000
- 100,000 to 500,000
- 25,000 to 100,000
- 5,000 to 25,000
- 1,000 to 5,000
- Less than 1,000

ROADS

- Primary, all-weather, hard surface
- Secondary, all-weather, hard surface
- Light-duty, all-weather, improved surface
- Fair or dry weather, unimproved surface
- Trail or dry weather, unimproved surface
- Interchange
- Route markers: Interstate, U.S., State

RAILROADS

- Single track
- Double or multiple track
- Standard gauge
- Narrow gauge
- Landplane airport
- Landing area
- Seaplane anchorage
- Orchard
- Intermittent or dry stream
- Powerline

BOUNDARIES

- International
- State
- County
- Park or reservation

Other Symbols

- Mine
- Landmark: School, Church, Other
- Spot elevation in feet
- Marsh or swamp
- Intermittent or dry stream
- Powerline

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles

0 5 10 15 20 25 30 Kilometers

0 5 10 15 20 25 30 Nautical Miles

CONTOUR INTERVAL 100 FEET

TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17

1965 MAGNETIC DECLINATION FROM TRUE NORTH FOR THIS SHEET VARIES FROM 7° (30 MILES) WESTERLY FOR THE CENTER OF THE WEST EDGE TO 9° (90 MILES) WESTERLY FOR THE CENTER OF THE EAST EDGE.

FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092

LOCATION DIAGRAM

Map showing the location of the sheet within the Eastern United States, with state boundaries and major cities labeled.

SECTIONIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36

GRID ZONE DESIGNATION

17T

TO GIVE A STANDARD REFERENCE TO THIS SHEET TO NEAREST 100 METERS

SAMPLE POINT: LEESVILLE

USGS

CANTON, OHIO; PA.; W. VA.

1957

REVISED 1969

Topographic Division

AUG 0 1 1978