



Mapped and edited by Tennessee Valley Authority
Published by the Geological Survey
Control by USC&GS, USGS, and TVA
Topography by USGS and TVA by multiplex methods from aerial
photographs taken 1946. Field examination by TVA, 1949
Polyconic projection. 1927 North American datum
10,000-foot grid based on Tennessee rectangular
coordinate system
—375— Indicates Kentucky Lake Easement Boundary

41°
TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION 1949

SCALE 1:24,000
1 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 5 0 5 10 KILOMETER
CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS
DATUM IS MEAN SEA LEVEL
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENNESSEE
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
HISTORICAL FILE
TOPOGRAPHIC DIVISION

U.S.G.S.
FILE COPY
Inspection and Editing.

ROAD CLASSIFICATION
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty ———— LANE LANE Improved dirt ————
Medium-duty ———— LANE LANE Unimproved dirt ————
Loose-surface, graded, or narrow hard-surface ————
④ U. S. Route ⑤ State Route

OLIVEHILL, TENN.
N3515-W8800/7.5
1949