


Produced by the United States Geological Survey
Control by USGS, NOS/NOAA and USCE
Topography by photogrammetric methods from aerial photographs taken 1951. Field checked 1956
Projection and 10,000-foot grid ticks: Tennessee coordinate system 1000-meter Universal Transverse Mercator grid, zone 16 1927 North American Datum
To place on the predicted North American Datum 1983, move the projection lines 6 meters south and 5 meters west as shown by dashed corner ticks
Dale Hollow Lake subject to controlled inundation to 663 feet
Unchecked elevations are shown in brown

UTM GRID AND 1956 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET
Map photoinspected 1981
No major culture or drainage changes observed

SCALE 1:24,000
1 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 0 5 10 KILOMETER
CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
AND TENNESSEE DEPARTMENT OF CONSERVATION, DIVISION OF GEOLOGY, NASHVILLE, TENN. 37243
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



RIVERTON, TENN.
36085-D1-TF-024
PHOTOINSPECTED 1981
1956
DMA 3956 1 NE - SERIES V841