


Produced by the United States Geological Survey
Topography compiled by photogrammetric methods from aerial photographs taken 1963. Planimetry derived from imagery taken 1999 and other sources. Survey control current as of 1964. Boundaries current as of 2003.
North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 16. 10 000-foot ticks: Georgia Coordinate System of 1983 (west zone).
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.



CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
(THE DIFFERENCE BETWEEN THE NATIONAL GEODETIC VERTICAL DATUM OF 1929 AND THE NORTH AMERICAN VERTICAL DATUM OF 1983 IS MINIMAL)
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

Primary highway hard surface Interstate Route
Secondary highway hard surface U.S. Route
Light-duty road, hard or improved surface State Route
Unimproved road

1	2	3	1 Ball Ground East
4	5	6	2 Matt
7	8	7	3 Coal Mountain
		8	4 Brimingham
			5 Buford Dam
			6 Rowell
			7 Duluth
			8 Swannoe

HISTORICAL MAP ARCHIVES
RECEIVED
AUG 2 8 2003

JUN 26 2003
CUMMING, GA
1999

NIMA 4152 II NW-SERIES V845

USGS Library
Reston, VA
Topo Archive

3 1818 00417262 1

999864109084 6