

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

STATE OF GEORGIA
DEPARTMENT OF NATURAL RESOURCES
EARTH AND WATER DIVISION

DOVER BLUFF QUADRANGLE
GEORGIA
7.5 MINUTE SERIES ORTHOPHOTOMAP
(TOPOGRAPHIC-BATHYMETRIC)




CONVERSION
SCALES




Feet	Meters
1	0.3048
2	0.6096
3	0.9144
4	1.2192
5	1.5240
6	1.8288
7	2.1336
8	2.4384
9	2.7432
10	3.0480

To convert feet to meters
multiply by 0.3048
To convert meters to feet
multiply by 3.2808

1. Dryland
2. Wetlands (May be partially submerged at mean high tide)
3. Exposed at mean low tide




Produced by the United States Geological Survey and the National Ocean Service
Control by USGS and NOS/NOAA
Orthophotomaps prepared by the Geological Survey from aerial photographs taken April 19, 1974. Topography by planimetry surveys 1961; revised from aerial photographs taken 1974. Field checked 1975. Map edited 1979
Superimposed topographic map dated 1961
Bathymetry compiled by the National Ocean Service from tide-coordinated hydrographic surveys
Soundings compiled from NOS 11504 and 11506
This information is not intended for navigational purposes
Mean lower low water (dotted) line and mean high water (solid) line compiled by NOS from tide-coordinated aerial photographs
Apparent shoreline (outer edge of vegetation) shown by photomaps
Projection and 10,000-foot grid ticks: Georgia coordinate system, east zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid, zone 17
1927 North American Datum
To place on the predicted North American Datum 1983, move the projection lines 20 meters south and 17 meters west as shown by dashed corner ticks
There may be private inholdings within the boundaries of the National or State reservations shown on this map



Survey Number	Survey Date	Survey Scale	Survey Line Spacing (Feet)
H-5579	1934	1:10,000	02-06
H-5579	1935	1:10,000	02-07
H-5579	1935	1:10,000	02-08
H-5579	1935	1:10,000	02-09
H-5579	1935	1:10,000	02-10
H-5579	1935	1:10,000	02-11
H-5579	1935	1:10,000	02-12
H-5579	1935	1:10,000	02-13
H-5579	1935	1:10,000	02-14
H-5579	1935	1:10,000	02-15
H-5579	1935	1:10,000	02-16
H-5579	1935	1:10,000	02-17
H-5579	1935	1:10,000	02-18
H-5579	1935	1:10,000	02-19
H-5579	1935	1:10,000	02-20
H-5579	1935	1:10,000	02-21
H-5579	1935	1:10,000	02-22
H-5579	1935	1:10,000	02-23
H-5579	1935	1:10,000	02-24
H-5579	1935	1:10,000	02-25
H-5579	1935	1:10,000	02-26
H-5579	1935	1:10,000	02-27
H-5579	1935	1:10,000	02-28
H-5579	1935	1:10,000	02-29
H-5579	1935	1:10,000	02-30

SCALE 1:24 000
CONTOUR INTERVAL 1.5 METERS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY 0.5 METER CONTOUR-SOUNDINGS IN METERS
DATUM IS MEAN LOWER LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
BASE MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
BATHYMETRIC SURVEY DATA COMPLIES WITH INTERNATIONAL HYDROGRAPHIC ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS
AND/OR STANDARDS USED AT THE DATE OF THE SURVEY
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
AND NATIONAL OCEAN SERVICE, ROCKVILLE, MARYLAND 20852
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Primary highway, hard surface
Secondary highway, hard surface
Trails
Interstate Route
U. S. Route
State Route
Light-duty road, hard or improved surface
Unimproved road

DOVER BLUFF, GA.
31081-A5-OM-024
1979
PHOTOREVISED 1988
DMA 4646 II SE-SERIES V8450

USGS NMD HISTORICAL MAP
FEB 23 1989
REC'D FILE COPY