



CONVERSION SCALES



To convert feet to meters multiply by 0.3048
To convert meters to feet multiply by 3.2808

1. Dryland
2. Wetlands (May be partially submerged at mean high tide)
3. Exposed at mean low tide




Produced by the United States Geological Survey and the National Ocean Service
Control by USGS and NOS/NOAA
Orthophotomaps prepared by the Geological Survey from aerial photographs taken April 18, 1974. Topography by photogrammetric methods from aerial photographs taken 1974. Field checked 1975. Map edited 1979.
Supersedes Army Map Service topographic map dated 1956.
Bathymetry compiled by the National Ocean Service from tide-coordinated hydrographic surveys.
Soundings compiled from NOS 11509 and 11511.
This information is not intended for navigational purposes.
Mean lower low water (dotted) line and mean high water (solid) line compiled by NOS from tide-coordinated aerial photographs.
Apparent shoreline (outer edge of vegetation) shown by photomagnery.
Projection and 10,000-foot grid ticks: Georgia coordinate system, east zone (transverse Mercator).
1000-meter Universal Transverse Mercator grid, zone 17 1927 North American Datum.
To place on the predicted North American Datum 1983, move the projection lines 18 meters south and 17 meters west as shown by dashed corner ticks.

UTM GRID AND 1988 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

CONTOURS AND ELEVATIONS IN METERS

| Survey Number | Survey Date | Survey Scale | Survey Line Spacing (Neat Miles) |
|---------------|-------------|--------------|----------------------------------|
| H-5573a | 1934 | 1:10,000 | 02.04 |

Revisions shown in purple compiled in cooperation with State of Georgia agencies from aerial photographs taken 1983 and other sources. This information not field checked. Map edited 1988.



SCALE 1:24 000

CONTOUR INTERVAL 1.5 METERS
NATIONAL GEODETTIC VERTICAL DATUM OF 1929
BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY 0.5 METER CONTOURS - SOUNDINGS IN METERS
DATUM IS MEAN LOWER LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE

BASE MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
BATHYMETRIC SURVEY DATA COMPLIES WITH INTERNATIONAL HYDROGRAPHIC ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS AND/OR STANDARDS USED AT THE DATE OF THE SURVEY
AND NATIONAL OCEAN SERVICE ROCKVILLE MARYLAND 20852
FOR SALE BY U. S. GEOLOGICAL SURVEY DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22082
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

NATIONAL OCEAN SERVICE HYDROGRAPHIC SURVEY INDEX

ROAD CLASSIFICATION

- Primary highway, hard surface
- Secondary highway, hard surface
- Trails
- Light-duty road, hard or improved surface
- Unimproved road
- Interstate Route
- U. S. Route
- State Route

LIMERICK SE, GA.
8E4 LIMERICK 15' QUADRANGLE

31081-G3-OM-024

1979
PHOTOREVISED 1988
DMA 4747 IV SE-SERIES V8450

REC'D FILE COPY
FEB 23 1989
USGS NAUT. HYDROGRAPHIC MAP