





CONVERSION  
SCALES



Feet	Meters
1	3048
2	6096
3	9144
4	12192
5	15240
6	18288
7	21336
8	24384
9	27432
10	30480

To convert feet to meters  
multiply by .3048  
To convert meters to feet  
multiply by 3.2808


1. Dryland
2. Wetlands (May be partially submerged at mean high tide)
3. Exposed at mean low tide



Mapped, edited, and published by the Geological Survey and the National Ocean Survey  
Control by USGS, NOS/NOAA, and USCE  
Orthophotomaps prepared by the Geological Survey from aerial photographs taken April 18, 1974. Topography by the National Ocean Survey by planimetric surveys 1952; revised by USGS from aerial photographs taken 1974. Field checked 1975  
Map edited 1979. Supersedes NOS topographic map dated 1954  
Bathymetry compiled by the National Ocean Survey from tide-coordinated hydrographic surveys  
Soundings compiled from NOS 11510 and 11511  
This information is not intended for navigational purposes  
Mean low water (dotted line and mean high water (solid line) compiled by NOS from tide-coordinated aerial photographs  
Apparent shoreline (outer edge of vegetation) shown by photography  
Projection and 10,000-foot grid ticks: Georgia coordinate system, east zone (transverse Mercator)  
1000-meter Universal Transverse Mercator grid, zone 17  
1927 North American datum  
To place on the predicted North American Datum 1983 move the projection lines 18 meters south and 17 meters west as shown by dashed corner ticks  
There may be private inholdings within the boundaries of the National and State reservations shown on this map

Survey Number	Survey Date	Survey Scale	Survey Line Spacing (Naut. Miles)
H-4470	1925	1:20,000	0.5-35
H-4472	1925	1:20,000	0.5-25
H-5575	1934	1:10,000	0.2-56
H-5582	1934	1:10,000	0.1-04
H-5583	1934	1:10,000	0.1-04
H-5586	1934	1:10,000	0.1-05
H-9472	1974	1:20,000	0.5-10

CONTOUR INTERVAL 1.5 METERS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
BATHYMETRIC CONTOUR INTERVAL 1 METER WITH SUPPLEMENTARY 0.5 METER CONTOURS—SOUNDINGS IN METERS  
DATUM IS MEAN LOW WATER  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 2.1 METERS  
BASE MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
BATHYMETRIC SURVEY DATA COMPLIES WITH INTERNATIONAL HYDROGRAPHIC ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS  
AND/OR STANDARDS USED AT THE DATE OF THE SURVEY  
FOR SALE BY THE GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
AND NATIONAL OCEAN SURVEY, ROCKVILLE, MARYLAND 20852  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS AVAILABLE ON REQUEST



ROAD CLASSIFICATION  
Primary highway, hard surface. Light-duty road, hard or improved surface.  
Secondary highway, hard surface. Unimproved road.  
Trails  
Interstate Route U. S. Route State Route  
SAPELO SOUND, GA.  
N3130-W8107.5/7.5  
1979  
USGS DMA 4747 II SW—SERIES V8450  
Historical File  
Topographic Division

2300  
JAN 17 1980