



Produced by the United States Geological Survey
Topography compiled 1946. Planimetry derived from imagery taken 1993. Survey control current as of 1974
North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 17
2 500-meter ticks: North Carolina Coordinate System of 1983
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software
Areas covered by dashed light-blue pattern are subject to controlled inundation
Landmark buildings verified 1974



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048



QUADRANGLE LOCATION

ROAD CLASSIFICATION	
Primary highway	Light-duty road, hard or improved surface
hard surface	Secondary highway
Secondary highway	Unimproved road
hard surface	Interstate Route
Unimproved road	U.S. Route
	State Route

1	2	3
4	5	6
7	8	9

RECEIVED
DEC 3 1 1998
USGS NMD
HISTORICAL MAP ARCHIVES

CHAPEL HILL, NC
1993
NIMA 5155 I NE-SERIES V842

