



Produced by the United States Geological Survey
Control by USGS, NOS/NOAA and North Carolina Geodetic Survey
Compiled by photogrammetric methods from aerial photographs
taken 1979. Field checked 1981. Map edited 1983
Projection and 10,000-foot grid ticks: North Carolina coordinate
system, (Lambert conformal conic)
1000-meter Universal Transverse Mercator grid, zone 17
1927 North American Datum
The difference between 1927 North American Datum and North
American Datum of 1983 (NAD 83) for 7.5-minute intersections
is given in USGS Bulletin 1875. The NAD 83 is shown by
dashed corner ticks
Short dashed blue lines indicate elliptical bay outlines
visible on aerial photographs
There may be private inholdings within the boundaries of
the National or State reservations shown on this map

Map photoinspected 1988
No major culture or drainage changes observed

UTM GRID AND 1983 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

SCALE 1:24 000

1 000 0 1000 2000
KILOMETERS
1 0 1000 2000
METERS
1 0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10 000
FEET

CONTOUR INTERVAL 2 METERS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER
OTHER ELEVATIONS SHOWN TO THE NEAREST 0.5 METER
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Primary highway, hard surface Light-duty road, hard or improved surface
Secondary highway, hard surface Unimproved road
Interstate Route U.S. Route State Route

QUADRANGLE LOCATION

CONTOURS AND ELEVATIONS IN METERS

CURRIE, N. C.
NE 4 ACME 15' QUADRANGLE
34078-D1-TM-024
1983
PHOTOINSPECTED 1988
DMA 5352 I NE - SERIES V842