


Produced by the United States Geological Survey
Topography by planetable surveys 1951. Planimetry derived from imagery taken 1997 and other sources. Survey control current as of 1951.
North American Datum of 1983 (NAD 83). Projection and 1000-meter grid: Universal Transverse Mercator, zone 17. 2500-meter ticks: North Carolina Coordinate System of 1983.
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.
Landmark buildings verified 1951.

UTM GRID AND 2001 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET
7.5°
133 MILES
0° 42'
12 MILES



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048



| | | |
|---|---|---|
| 1 | 2 | 3 |
| 4 | 5 | 6 |
| 7 | 8 | 9 |

1 Summerfield
2 Lake Brandt
3 Browns Summit
4 Guilford
5 McLeansville
6 High Point East
7 Pleasant Garden
8 Clinch

ROAD CLASSIFICATION
Primary highway Light-duty road, hard or
hard surface improved surface
Secondary highway Unimproved road
Interstate Route U.S. Route State Route

GREENSBORO, NC
1997

NIMA 5056 III SE-SERIES V842

RECEIVED
JUL 31 2001

U.S. GEOLOGICAL SURVEY
HISTORICAL MAP ARCHIVES



FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST