





Mapped by the U. S. Coast & Geodetic Survey  
Edited and published by the Geological Survey  
Control by USC&GS (C), USMC (M), and USCE (E)

Culture and drainage in part compiled from aerial photographs  
taken 1949 and 1952. Topography by plane-table surveys 1950  
and 1952. Field check 1952. Hydrography from surveys dated  
1926, 1927, 1933 and supplementary information

Polyconic projection. 1927 North American datum  
10,000-foot grid based on North Carolina coordinate system  
1000-meter Universal Transverse Mercator grid ticks,  
zone 18, shown in blue

Revisions shown in purple compiled by the Geological Survey from  
aerial photographs taken 1971. This information not field checked

Map photoinspected 1988  
No major culture or drainage changes observed



CONTOUR INTERVAL 5 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE MEAN RANGE OF TIDE IS 3 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY  
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



USGS AND HISTORICAL  
MAP ARCHIVES  
FEB 05 1992  
REC'D FILE COPY

NEW RIVER INLET, N. C.

34077E3TF024  
PHOTOINSPECTED 1988  
1952  
PHOTOREVISED 1971  
DMA 5553 III SE—SERIES V842

The difference between 1927 North American Datum and North  
American Datum of 1983 (NAD 83) for 7.5-minute intersections  
is given in USGS Bulletin 1875. The NAD 83 is shown by  
dashed corner ticks