



CONVERSION SCALES

Feet	Meters
15000	4500
14000	4000
13000	3500
12000	3000
11000	2500
10000	2000
9000	1500
8000	1000
7000	500
6000	1800
5000	1500
4000	1200
3000	900
2000	600
1000	300
500	150
0	0

Feet Meters
 1 3048
 2 6096
 3 9144
 4 12192
 5 15240
 6 18288
 7 21336
 8 24384
 9 27432
 10 30480

To convert feet to meters multiply by 3048
 To convert meters to feet multiply by 3.2808

Mapped, edited, and published by the Geological Survey
 Control by USGS, NOS/NOAA, and North Carolina Geodetic Survey
 Topography by photogrammetric methods from aerial photographs taken 1977. Field checked 1979. Map edited 1980
 Projection and 10,000-foot grid ticks: North Carolina coordinate system, (Lambert conformal conic)
 1000-meter Universal Transverse Mercator grid, zone 18
 1927 North American Datum
 To place on the predicted North American Datum 1983 move the projection lines 13 meters south and 26 meters west as shown by dashed corner ticks
 Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked



NATIONAL GEODETIC VERTICAL DATUM OF 1929
 CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER
 OTHER ELEVATIONS SHOWN TO THE NEAREST 0.5 METER

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U. S. Route
	State Route

QUADRANGLE LOCATION
 CONTOURS AND ELEVATIONS IN METERS

POTTERS HILL, N. C.
 NW/4 RICHLANDS 15' QUADRANGLE
 N3452.5-W7737.5/7.5

1980
 DMA 5453 1 NW-SERIES V842

MAR 17 1981
 1950

USGS Historical File National Mapping Div.