



Maped, edited, and published by the Geological Survey
Control by USGS, USC&GS, and South Carolina Geodetic Survey
Topography by photogrammetric methods from aerial photographs
taken 1965. Field checked 1968
Polyconic projection. 1927 North American datum
10,000-foot grid based on South Carolina coordinate system,
north zone, and North Carolina coordinate system
1000-meter Universal Transverse Mercator grid ticks,
zone 17, shown in blue
Fine red dashed lines indicate selected fence and field lines where
available. Shaded areas indicate areas of forest cover.

4853 IV SE
LANCASTER 11 MI E

SCALE 1:24 000

1 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 0 5 1 KILOMETER

CONTOUR INTERVAL 10 FEET

ROAD CLASSIFICATION

Primary highway, all weather, hard surface	Light-duty road, all weather, improved surface
Secondary highway, all weather, hard surface	Unimproved road, fair or dry weather

U.S. Route State Route

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON, D.C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

CATAWBA NE, S. C.—N. C. MAY 18 1970
N3452.5—W8045/7.5
1968
AMS 4853 IV NE—SERIES V846