



Mapped by the Geological Survey  
1946-1947

Red tint indicates areas in which only  
landmark buildings are shown

ROAD CLASSIFICATION  
1947  
Dependable hard surface  
Heavy-duty road  
Secondary hard surface  
at weather road  
More than two lanes indicated along road with tick at point of change

UTM GRID AND 1947 MAGNETIC NORTH  
DECLINATION AT CENTER OF SHEET

SCALE 1:24,000  
1000 0 1000 2000 3000 4000 5000 6000 7000 FEET  
1 MILE  
Kilometer  
Contour interval 10 feet  
Datum is mean sea level

Interior—Geological Survey, Washington, D. C.—1945  
Polyconic projection. 1927 North American datum  
10000 foot grid based on South Carolina (North)  
rectangular coordinate system  
1000-meter Universal Transverse Mercator grid ticks,  
zone 17, shown in blue

COLUMBIA NORTH, S. C.

FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

N 3400—W 8100/7.5  
1947  
AMS 4752 II SE—SERIES V 846

SEP 1 4 1965

U.S.G.S.

FILE COPY  
TOPOGRAPHIC DIVISION