



Prepared by the Army Map Service (AJART), Corps of Engineers, U.S. Army, Washington, D.C. Compiled in 1955 by photogrammetric methods. Horizontal and vertical control by USCGS and USCE. Aerial photography 1953. Photographic field annotated in 1954. Limited revision by U.S. Geological Survey 1965.

100,000-foot grids based on Montana coordinate system, south and central zones.

10,000-meter Universal Transverse Mercator grid ticks, zone 13, shown in blue.

LEGEND
 ROAD DATA 1954 PARTIALLY REVISED 1965
 Figures in red denote approximate distances in miles between stars

POPULATED PLACES

Over 500,000	100,000 to 500,000	25,000 to 100,000	5,000 to 25,000	1,000 to 5,000	Less than 1,000
--------------	--------------------	-------------------	-----------------	----------------	-----------------

RAILROADS

Standard gauge	Narrow gauge	Single track	Double or Multiple track
----------------	--------------	--------------	--------------------------

BOUNDARIES

International	State	County	Park or reservation
---------------	-------	--------	---------------------

ROADS

Hard surface, heavy duty	More than two lanes wide	Two lanes wide; Federal route marker	Hard surface, medium duty	More than two lanes wide	Two lanes wide; State, Interstate route markers	Improved light duty	Unimproved dirt	Trail
--------------------------	--------------------------	--------------------------------------	---------------------------	--------------------------	---	---------------------	-----------------	-------

RAILROADS

Standard gauge	Narrow gauge	Single track	Double or Multiple track
----------------	--------------	--------------	--------------------------

BOUNDARIES

International	State	County	Park or reservation
---------------	-------	--------	---------------------

Other Symbols:

- Landmarks: School; Church; Other
- Horizontal control point
- Spot elevation in feet
- Marsh or swamp
- Intermittent or dry stream
- Power line
- Approximate road alignment

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles

0 5 10 15 20 25 30 Kilometers

0 5 10 15 Nautical Miles

CONTOUR INTERVAL 100 FEET
 WITH SUPPLEMENTARY CONTOURS AT 50 FOOT INTERVALS

TRANSVERSE MERCATOR PROJECTION

1960 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 16°49' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 15°30' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°02' WESTERLY.

FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242

LOCATION DIAGRAM

11°	12°	13°	14°	15°	16°	17°	18°	19°	20°
49°	50°	51°	52°	53°	54°	55°	56°	57°	58°

TOWNSHIP OR RANGE LINE

LAND GRANT BOUNDARY

SECTIONIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

FORSYTH, MONTANA

1954

LIMITED REVISION 1965

USGS
 Historical File
 Topographic Division

U.S.G.S.

TOPOGRAPHIC DIVISION

4545

FEB 10 1966