



Map by U. S. Coast & Geodetic Survey  
Edited and published by the Geological Survey  
Control by USC&GS


Topography from aerial photographs by multiplex methods  
Aerial photographs taken 1949. Field check 1954

Hydrography compiled from USC&GS charts 6376 (1951),  
6378 (1954) and surveys H-1815 (1887) and H-6654 (1940)

Polyconic projection. 1927 North American datum  
10,000-foot grid based on Washington coordinate system, north zone  
1000-meter Universal Transverse Mercator grid ticks,  
zone 10, shown in blue

To place on the predicted North American Datum 1983  
move the projection lines 23 meters north and  
94 meters east as shown by dashed corner ticks

Revisions shown in purple compiled by the Geological Survey from  
aerial photographs taken 1968. This information not field checked



CONTOUR INTERVAL 20 FEET  
DASHED LINES REPRESENT 10-FOOT CONTOURS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
DEPTH CURVES IN FEET—DATUM IS MEAN LOWER LOW WATER  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 5 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION  
Medium-duty ——— Light-duty ———  
Unimproved dirt ——— State Route —○—

BOW, WASH.  
N4830—W12222.5/7.5  
PHOTOINSPECTED 1978  
1954

PHOTOINSPECTED 1968  
DMA 1581 III SW—SERIES V891

USGS  
Historical File  
National Mapping Div.

APR 16 1981

1700