



Produced by the United States Geological Survey
Topography compiled 1957. Planimetry derived from imagery taken 1986. Photosinspected using imagery dated 1994; no major culture or drainage changes observed. Survey control current as of 1961. Boundaries revised 1998.
North American Datum of 1927 (NAD 27)
Projection: West Virginia coordinate system, north zone (Lambert conformal conic)
10 000-foot ticks: West Virginia coordinate system, north zone and Ohio coordinate system, south zone
1000-meter Universal Transverse Mercator grid, zone 17
North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.
The state boundary as shown represents the approximate position of the low water line as determined from U. S. Corps of Engineers Ohio River Charts, surveyed 1913, and supplementary information.
Land lines based on the Ohio River Base. Dotted land lines established by private subdivision of the Ohio Company Purchase.
Information shown in purple may not meet USGS content standards and may conflict with previously mapped contours.

SCALE 1:24 000
1 1000 2000 3000 4000 5000 6000 7000 FEET
1 KILOMETER
CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

ROAD CLASSIFICATION
Primary highway, hard surface
Secondary highway, hard surface
Unimproved road
Light-duty road, hard or improved surface
Interstate Route
U. S. Route
State Route

LUBECK, W. VA.—OHIO

1994

NIMA 4662 II NW—SERIES V854

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

A.H. ROBINSON
MAP LIBRARY
DEC 18 1998
University of Wisconsin
Madison
U.S. Regional
Depository Copy
DO NOT DISCARD

