



Prepared under the direction of the President, Mississippi River Commission.  
Horizontal control by Mississippi River Commission and Corps of Engineers.  
U. S. Army, Memphis District, Memphis, Tenn. and U. S. Coast and Geodetic Survey.  
Vertical control by Mississippi River Commission and Corps of Engineers.  
U. S. Army, Memphis District, Memphis, Tenn.  
Descriptions, elevations and geodetic positions of bench marks may be obtained from Memphis District, Memphis, Tenn.  
Topography by Corps of Engineers, U. S. Army, Memphis District, 1930-1951.  
Planimetry remapped from aerial photographs flown in 1949-50. Field checked 1951.  
Political boundaries are shown according to best available information.  
Work under Flood Control Act shown as of Aug. 1954.  
Polyconic Mercator Projection, 1927 North American Datum.  
This map complies with national map accuracy standards.

Scale 1:62,500  
1000 500 0 1000 2000 3000 4000 5000 6000 7000 Yards  
1500 0 1000 2000 3000 4000 5000 6000 7000 Feet  
1000 500 0 1000 2000 3000 4000 5000 Meters

Contour interval 5 feet  
DATUM IS MEAN SEA LEVEL  
ONE THOUSAND METER UNIVERSAL TRANSVERSE MERCATOR GRID.  
ZONE 15 IS INDICATED BY TICKS OUTSIDE THE NEATLINE  
ARKANSAS STATE GRID. ZONE NORTH. IS INDICATED BY TICKS OUTSIDE THE NEATLINE AT 10,000 FOOT INTERVALS.

Additional copies may be procured from  
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
HISTORICAL FILE  
NATIONAL MAPPING DIVISION

EDMONDSON, ARK.-TENN.  
EDITION OF 1954  
N3500-W9015/15

LEGEND  
Levee Retards and dikes Revetment River Gage  
Levee mile post Levee station Towhead  
LMP L S TH  
Routes usually traveled  
Hard (improved) surfaces  
Other surfaces improvements  
U. S. ROUTE STATE ROUTE

APPROXIMATE MEAN DECLINATION 1950  
FOR CENTER OF SHEET  
ANNUAL MAGNETIC CHANGE 17' EASTERLY

Distances on Mississippi River above the Head of Passes are shown at 5 mile intervals.

SEP 14 1981  
1200