



Map by the Army Map Service
Published for civil use by the Geological Survey
Control by USC&GS, USCE, U. S. Lake Survey
and International Boundary Commission
U. S. topography from aerial photographs by photogrammetric
methods. Aerial photographs taken 1950. Field check 1951
Canadian topography from Department of National Defence,
dated 1939
Hydrography compiled from U. S. Lake Survey chart 63 (1955)
Polyconic projection. 1927 North American datum
10,000-foot grid based on Michigan coordinate system, north zone
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in blue
Unchecked elevations are shown in brown

NATIONAL FOREST BOUNDARIES REPRESENT PROCLAMATION LINES
AND DO NOT NECESSARILY IMPLY FEDERAL JURISDICTION

SCALE 1:24 000
CONTOUR INTERVAL 10 FEET IN THE UNITED STATES AND 25 FEET IN CANADA
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET - DATUM IS 602 FEET

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
○ State Route

USGS
Historical File
Topographic Division

BRIMLEY, MICH.-ONT.
NE/4 BRIMLEY 15' QUADRANGLE
N4622.5-W8430.7/5

1951
PHOTOREVISED 1975
AMS 4076 I NE-SERIES V862

NOV 23 1976