


Produced by the United States Geological Survey. Derived from imagery taken 1976 and other sources. Photocopied using imagery taken 1995; no major culture or drainage changes observed. PLSS and survey control current as of 1976. Boundaries, other than corporate, verified 1999. North American Datum of 1927 (NAD 27). Projection and 10 000-foot ticks: Michigan coordinate system, south zone (Lambert conformal conic). 1000-meter Universal Transverse Mercator grid, zone 16. North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.



CONTOUR INTERVAL 10 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 MICHIGAN DEPARTMENT OF NATURAL RESOURCES, LANSING, MICHIGAN 48909 AND GEOLOGICAL SURVEY DIVISION A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION table with 8 cells and numbers 1-8.

ROAD CLASSIFICATION Primary highway, hard surface Secondary highway, hard surface Light-duty road, hard or improved surface Unimproved road Interstate Route U.S. Route State Route

SOUTHWEST ALBION, MI 1995 NIMA 4068 III NE-SERIES Y862

RECEIVED DEC 31 1999

