



Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, USCE, TVA, U. S. Lake Survey, and
International Boundary Commission
Topography from aerial photographs by photogrammetric methods
Aerial photographs taken 1957. Field check 1958
Canadian portion furnished by Canadian Department of
National Defence (1925)
Hydrography compiled from U.S. Lake Survey chart 16 (1958)
Polyconic projection. 1927 North American datum
10,000-foot grid based on New York coordinate system, central zone
1000-meter Universal Transverse Mercator grid ticks,
zone 18, shown in blue
Fine red dashed lines indicate selected fence and field lines
visible on aerial photographs. This information is unchecked

129°
TRUE NORTH
APPROXIMATE MEAN
DECLINATION, 1958

SCALE 1:24,000
1 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 KILOMETER
CONTOUR INTERVAL 10 FEET IN THE UNITED STATES AND 25 FEET IN CANADA
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 244 FEET

THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division



ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
○ State or Provincial Route

ALEXANDRIA BAY, N. Y.
SW 1/4 ALEXANDRIA BAY 15' QUADRANGLE
N 4415—W 7552.5/7.5

1958

USGS
FILE COPY
TOPOGRAPHIC DIVISION

NOV 10 1980

4640