




Mapped, edited, and published by the Geological Survey  
Control by USGS and NOS/NOAA  
Topography by photogrammetric methods from aerial  
photographs taken 1962. Field check 1963  
Selected hydrographic data compiled from NOS chart 283 (1962)  
This information is not intended for navigational purposes  
Polyconic projection. 10,000-foot grid based on New York coordinate  
system, east zone. 1000-meter Universal Transverse Mercator grid ticks,  
zone 18, shown in blue. 1927 North American Datum. To place on the  
projected North American Datum 1983 move the projection lines  
6 meters south and 35 meters west as shown by dashed corner ticks  
Fine red dashed lines indicate selected fence and field lines where  
generally visible on aerial photographs. This information is unchecked



CONTOUR INTERVAL 10 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE MEAN RANGE OF TIDE IS 4.1 FEET  
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
Interstate Route U.S. Route State Route  
CEMENTON, N. Y.  
N4207.5—W7352.5/7.5  
1963  
PHOTOREVISED 1980  
DMA 6268 III NW—SERIES V821

USGS  
Historical File  
National Mapping Div.  
MAY 1 1981  
2350