



Mapped, edited, and published by the Geological Survey  
 Control by USGS, USC&GS, and TVA  
 Topography from aerial photographs by photogrammetric methods  
 Aerial photographs taken 1957 and 1958. Field check 1959  
 Polyconic projection. 1927 North American datum  
 10,000-foot grid based on New York coordinate system,  
 central zone  
 1000-meter Universal Transverse Mercator grid ticks,  
 zone 18, shown in blue  
 Fine red dashed lines indicate selected fence and field lines  
 visible on aerial photographs. This information is unchecked  
 To place on the predicted North American Datum 1983,  
 move the projection lines 3 meters south and  
 27 meters west as shown by dashed corner ticks

SCALE 1:24,000  
 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET  
 1 0 1 2 3 4 5 6 7 8 9 10 KILOMETER  
 CONTOUR INTERVAL 10 FEET  
 NATIONAL GEODETIC VERTICAL DATUM OF 1929

ROAD CLASSIFICATION  
 Medium-duty ——— Light-duty ———  
 Unimproved dirt - - - - -  
 State Route ○

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
 FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

PANTHER LAKE, N. Y.  
 SW 1/4 KASOAG 15' QUADRANGLE  
 43075-CB-TF-024  
 1959  
 DMA 5870 IV SW-SERIES V821

USGS HISTORICAL MAP  
 JUL 08 1998  
 REG U FILE COPY