

Mapped, edited, and published by the Geological Survey

Control by USGS, USC&GS, and Oklahoma Geological Survey

Topography by photogrammetric methods from aerial photographs taken 1963. Field checked 1966

Polyconic projection. 1927 North American datum

10,000-foot grid based on Oklahoma coordinate system, south zone


1000-meter Universal Transverse Mercator grid ticks, zone 14, shown in blue

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked

To place on the predicted North American Datum 1983

move the projection lines 5 meters south and 28 meters east as shown by dashed corner ticks

Revisions shown in purple compiled from aerial photographs taken 1978. Map edited 1980. This information not field checked



CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
AND BY THE OKLAHOMA GEOLOGICAL SURVEY, NORMAN, OKLAHOMA 73069
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



MAP AND AIR PHOTO
LIBRARY

OCT 31 1980

University of Wisconsin
Madison

ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt - - - - - State Route

CRINER, OKLA.
N3452.5—W9730/7.5

1966
PHOTOREVISED 1980
DMA 6453 1 NE—SERIES W85