



Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS
Topography by photogrammetric methods from aerial photographs taken 1958. Field checked 1961
Polyconic projection. 1927 North American datum
10,000-foot grid based on Oklahoma coordinate system, north zone
1000-meter Universal Transverse Mercator grid ticks, zone 15, shown in blue
Areas covered by dashed light-blue pattern are subject to controlled inundation
To place on the predicted North American Datum 1983 move the projection lines 3 meters south and 20 meters east as shown by dashed corner ticks
Revisions shown in purple compiled from aerial photographs taken 1980 and other sources. This information not field checked. Map edited 1982

UTM GRID AND 1982 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

SCALE 1:24,000
CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
AND BY THE OKLAHOMA GEOLOGICAL SURVEY, NORMAN, OKLAHOMA 73069
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U. S. Route ——— State Route ———

MAP AND AIR PHOTO LIBRARY
SEP 13 1982
University of Wisconsin
Madison

WYANDOTTE, OKLA.
N3645—W9437.5/7.5
1961
PHOTOREVISED 1982
DMA 7057 I SW—SERIES Y885