




Mapped, edited, and published by the Geological Survey

Control by USC&GS


Topography from aerial photographs by multiplex methods
Aerial photographs taken 1946 Field check, 1948

Polyconic projection. 1927 North American datum
10,000-foot grid based on California coordinate system,
zone 6

1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue



UTM GRID AND 1948 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET



SCALE 1:24 000

CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS
DATUM IS MEAN SEA LEVEL

SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 4 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U.S. Route

DANA POINT, CALIF.
N3322.5-W11737.5/7.5

1948
AMS 2450 1 NW—SERIES V895

JUL 28 1964
7120