



Mapped, edited, and published by the Geological Survey
Control by USGS and NOS/NOAA
Topography by photogrammetric methods from aerial photographs taken 1946. Field checked 1948
Polyconic projection. 1927 North American Datum
10,000-foot grid based on California coordinate system, zones 2 and 3
1000-meter Universal Transverse Mercator grid ticks, zone 10, shown in blue
The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5 minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks

SCALE 1:24 000

CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

HARD-SURFACE ALL WEATHER ROADS	DRY WEATHER ROADS
Heavy-duty — 4 LANE LANE	Improved dirt — — — —
Medium-duty — 4 LANE LANE	Unimproved dirt — — — —
Loose-surface, graded, or narrow hard-surface — — — —	

U. S. Route State Route

RAIL ROAD FLAT, CALIF.

Map photoinspected 1973
No major culture or drainage changes observed

38120-C5-TF-024
1948
PHOTOINSPECTED 1973
DMA 1860 I SE--SERIES V895