


Produced by the United States Geological Survey
Topography compiled 1988. Planimetry derived from imagery taken 1988 and other sources. Public Land Survey System and survey control current as of 1991.
North American Datum of 1983 (NAD 83). Projection and 10,000-foot grid: Universal Transverse Mercator, zone 16 10,000-foot ticks: Illinois Coordinate System of 1983 (east zone) 2,500-meter ticks: Indiana Coordinate System of 1983 (west zone)
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.
There may be private inholdings within the boundaries of the National or State reservations shown on this map.
Landmark buildings verified 1991.

UTM GRID AND 2000 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET



CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
ILLINOIS GEOLOGICAL SURVEY, CHAMPAIGN, ILLINOIS 61820
AND INDIANA DEPARTMENT OF NATURAL RESOURCES, INDIANAPOLIS, INDIANA 46204
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Primary highway hard surface
Secondary highway hard surface
Light-duty road, hard or improved surface
Unimproved road
Interstate Route U.S. Route State Route

1	2	3
4	5	6
7	8	9

CALUMET CITY, IL-IN
1998
NIMA 3467 II SE-SERIES V863



RECEIVED
JAN 31 2000

HISTORICAL MAP ARCHIVES