



Produced by the United States Geological Survey
in cooperation with Illinois Department of Transportation
and Illinois Department of Natural Resources
Topography compiled 1998. Planimetry derived from imagery
taken 1998 and other sources. Public Land Survey System and
survey control current as of 1965
North American Datum of 1983 (NAD 83). Projection and
1000-meter grid: Universal Transverse Mercator, zone 16
10 000-foot ticks: Illinois Coordinate System of 1983 (west zone)
North American Datum of 1927 (NAD 27) is shown by dashed
corner ticks. The values of the shift between NAD 83 and
NAD 27 for 7.5-minute intersections are obtainable from
National Geodetic Survey NADCON software
Landmark buildings verified 1965

UTM GRID AND 2000 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

SCALE 1:24 000
CONTOUR INTERVAL 10 FEET
SUPPLEMENTARY CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

ROAD CLASSIFICATION
Primary highway
hard surface Light-duty road, hard or
improved surface
Secondary highway
hard surface Unimproved road
Interstate Route U.S. Route State Route

QUADRANGLE LOCATION
ILLINOIS
1 Athens
2 Williamsville
3 Cornland
4 Springfield West
5 Mechanicburg
6 Chatham
7 New City
8 Edinburg
SPRINGFIELD EAST, IL
1998
NIMA 3063 1 SE-SERIES V863

RECEIVED
AUG 31 2000
USGS NHD
HISTORICAL MAP ARCHIVES

