



Maped by the U. S. Coast & Geodetic Survey
Edited and published by the Geological Survey

Control by USGS and USC&GS

Topography from aerial photographs by multiplex methods
supplemented by plane-table surveys, 1945 and 1946
Aerial photographs taken 1944. Field check 1948
Hydrography from surveys dated 1881 to 1931


Polyconic projection. 1927 North American datum
10,000-foot grid based on Maine coordinate system,
east zone

No distinction is made between dwellings, barns,
commercial and industrial buildings

Unchecked elevations are shown in brown

1000-meter Universal Transverse Mercator grid ticks,
zone 19, shown in blue

Map photoinspected 1975
No major culture or drainage changes observed



CONTOUR INTERVAL 20 FEET

NATIONAL GEODETIC VERTICAL DATUM OF 1929

DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS MEAN LOW WATER

SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER

THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 11 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty 4 LANE 18 LANE Improved dirt
Medium-duty 4 LANE 18 LANE Unimproved dirt
Loose-surface, graded, or narrow hard-surface
U. S. Route State Route

HARRINGTON, ME.
SE/4 CHERRYFIELD 15' QUADRANGLE
N4430-W6745/7.5

1948
PHOTOINSPECTED 1975
AMS 7473 III SE-SERIES 1811



QUADRANGLE LOCATION



ISBN 0-607-00830-X
9 780607 008302