



U.S.G.S.  
FILE COPY  
Inspection and Editing.



Mapped by the U. S. Coast & Geodetic Survey  
Edited and published by the Geological Survey  
Control by USC&GS (C), International Boundary Commission (I),  
Geological Survey of Canada, and USGS  
U. S. topography from aerial photographs by multiplex methods  
Aerial photographs taken 1946. Field check 1949  
Hydrography from surveys dated 1861 to 1949  
Canadian topography from International Boundary Commission and  
Canadian Department of Mines and Resources surveys dated 1913 to 1948  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Maine coordinate system,  
east zone

21°  
TRUE NORTH  
APPROXIMATE MEAN  
DECLINATION, 1949



CONTOUR INTERVAL 20 FEET  
DATUM IS MEAN SEA LEVEL  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 21 FEET  
THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION  
Heavy-duty... 1 LANE 1 LANE Light-duty...  
Medium-duty... 1 LANE 1 LANE Unimproved dirt...  
U. S. Route State Route

U.S.G.S.  
FILE COPY  
Inspection and Editing.

LUBEC, ME.  
SE/4 EASTPORT 15'X20' QUADRANGLE  
N4445—W6652.5/7.5  
EDITION OF 1952