



Mapped by the U. S. Coast & Geodetic Survey  
Edited and published by the Geological Survey

Control by USC&GS (C), International Boundary Commission (I),  
Geological Survey of Canada, and USGS

U. S. topography from aerial photographs by multiple methods  
Aerial photographs taken 1946. Field check 1949  
Hydrography from surveys dated 1887, 1918, 1948, and 1949  
Canadian topography from International Boundary Commission and  
Canadian Department of Mines and Resources

Polycyclic projection. 1927 North American datum,  
10,000-foot grid based on Maine coordinate system,  
east zone  
1000 meter Universal Transverse Mercator grid ticks,  
zone 19, shown in blue



CONTOUR INTERVAL 20 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 19 FEET

THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VA. 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION			
Heavy-duty	4 LANE 16 LANE	Light-duty	2 LANE 16 LANE
Medium-duty	4 LANE 16 LANE	Unimproved dirt	-----
	U. S. Route		State Route

ROBBINSON, ME.  
N4500—W6700/7.5

1949  
PHOTOREVISED 1977  
AMS 7574 II SE—SERIES V811

Revisions shown in purple compiled by Geological Survey from aerial  
photographs taken 1975. This information not field checked  
Map edited 1977.