


Topography by planetable surveys 1950-1951. Field check 1954 Hydrography compiled from USC&GS charts 875 (1954), 876 (1954), and 1267 (1954) Polyconic projection. 1927 North American datum 10,000-foot grid based on Mississippi coordinate system, east zone 1000-meter Universal Transverse Mercator grid ticks, zone 16, shown in blue The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5-minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks Red tint indicates area in which only landmark buildings are shown Dashed land lines indicate approximate locations Unchecked elevations are shown in brown

UTM GRID AND 1976 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET Map photoinspected 1987 No major culture or drainage changes observed

CONTOUR INTERVAL 5 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER THE MEAN RANGE OF TIDE IS APPROXIMATELY 1 FOOT

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



OCEAN SPRINGS, MISS. NE/4 BILOXI 15' QUADRANGLE 30088-D7-TF-024 PHOTOINSPECTED 1987 1954 PHOTOREVISED 1970 AND 1976 DMA 3244 IV NE—SERIES V843