

Mapped, edited, and published by the Geological Survey


Control by USGS and NOS/NOAA  
Topography by photogrammetric methods from aerial photographs  
taken 1964. Field checked 1965

Polyconic projection. 1927 North American Datum  
10,000-foot grid based on Wyoming coordinate system,  
west zone

1000-meter Universal Transverse Mercator grid ticks, zone 12,  
shown in blue

The difference between 1927 North American Datum and North  
American Datum of 1983 (NAD 83) for 7.5 minute intersections is  
given in USGS Bulletin 1875. The NAD 83 is shown by dashed  
corner ticks

Fine red dashed lines indicate selected fence lines  
Where omitted, land lines have not been established




SCALE 1:24 000



CONTOUR INTERVAL 40 FEET  
DOTTED LINES REPRESENT 20-FOOT CONTOURS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY  
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

ROAD CLASSIFICATION  
Medium-duty ——— Light-duty ———  
Unimproved dirt - - - - -  
U.S. Route

CACHE CREEK, WYO.  
43110-D6-TF-024

Map photostereoscopic 1975  
No major culture or drainage changes observed

1965  
PHOTOINSPECTED 1975  
DMA 3870 1 NW-SERIES V874

