



Produced by the United States Geological Survey
Control by USGS and NOS/NOAA
Topography by planetable surveys 1948. Revised by photogrammetric methods from aerial photographs taken 1963
Field checked 1964
Projection and 10,000-foot grid ticks: Florida coordinate system, east zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue
1927 North American Datum (NAD 27)
North American Datum of 1983 (NAD 83) is shown by dashed corner ticks
The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are given in USGS Bulletin 1875
There may be private inholdings within the boundaries of the National or State reservations shown on this map

Revisions shown in purple and woodland compiled in cooperation with State of Florida agencies from aerial photographs taken 1989 and other sources
Contours not revised. This information not field checked
Map edited 1992

UTM GRID and 1992 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET
4° 71 MILS
0° 13' 4 MILS

SCALE 1:24,000
CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
Interstate Route U.S. Route State Route

MAYPORT, FLA.
30081-D4-TF-024
1964
REVISED 1992
DMA 4744 IV NW—SERIES V847

FLORIDA
QUADRANGLE LOCATION

9 780711090811