


CONVERSION  
SCALES



Feet	Meters
1	3048
2	6096
3	9144
4	12192
5	15240
6	18288
7	21336
8	24384
9	27432
10	30480

To convert feet to meters  
multiply by 0.3048  
To convert meters to feet  
multiply by 3.2808

Produced by the United States Geological Survey  
Control by USGS and NOS/NOAA  
Orthophotomap prepared from aerial photograph taken  
January 9, 1976. Compiled by photogrammetric methods  
from aerial photographs taken March 1978  
Field checked 1981. Map edited 1982  
Supersedes topographic map dated 1954  
Projection and 10,000-foot grid ticks: Florida coordinate  
system, north zone (Lambert conformal conic)  
1000-meter Universal Transverse Mercator grid, zone 16  
1927 North American Datum  
To place on the predicted North American Datum 1983  
move the projection lines 20 meters south and  
11 meters west as shown by dashed corner ticks  
There may be private inholdings within the boundaries of  
the National or State reservations shown on this map



SCALE 1:24 000  
CONTOUR INTERVAL 1.5 METERS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER  
OTHER ELEVATIONS SHOWN TO THE NEAREST 0.5 METER  
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION  
Primary highway, hard surface  
Secondary highway, hard surface  
Trails  
Interstate Route  
U. S. Route  
County Route  
Light-duty road, hard or improved surface  
Unimproved road  
State Route

ST. MARKS NE, FLA.  
30084-B1-OM-024  
1982  
DMA 4144 II NE - SERIES V8470

