




CONVERSION  
SCALES



Feet	Meters
1	3048
2	6096
3	9144
4	12192
5	15240
6	18288
7	21336
8	24384
9	27432
10	30480

To convert feet to meters  
multiply by 3048  
To convert meters to feet  
multiply by 3.2808

Mapped, edited, and published by the Geological Survey  
Control by USGS, USC&GS, and Massachusetts Geodetic Survey  
Planimetry by photogrammetric methods from aerial photographs  
taken 1939. Topography by planetable surveys 1943. Revised  
from aerial photographs taken 1969. Field checked 1972.  
Selected hydrographic data compiled from USC&GS Charts 265 and 343  
(1971). This information is not intended for navigational purposes.  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Massachusetts coordinate system, island zone  
1000-meter Universal Transverse Mercator grid, zone 19.  
Red tint indicates area in which only landmark buildings are shown  
Map photinspected 1977  
No major culture or drainage changes observed



CONTOUR INTERVAL 10 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 1.7 FEET ALONG THE ATLANTIC OCEAN  
AND 2.6 FEET IN NANTUCKET SOUND



ROAD CLASSIFICATION  
Primary highway, Light-duty road, hard or  
hard surface improved surface  
Secondary highway, Unimproved road  
hard surface  
Interstate Route U. S. Route State Route

NANTUCKET, MASS.  
N41125—W7005/7.5  
1972  
PHOTOINSPECTED 1977  
AMS 6966 1 SW—SERIES V814

