



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

158°09' 21°22'30" 599000m E. WAIAHAE 6.5 MI. NANAKULI 0.6 MI. (SCHOFIELD BARRACKS) 4' 158°01'30" 21°22'30" 490 000 FEET

2363000m N. 20' 17'30" 40 000 FEET

21°15' 158°09' 6'30" 4' 599000m E. 158°01'30" 21°15'

Maped, edited, and published by the Geological Survey  
Control by USGS and USC&GS  
Topography by photogrammetric methods from aerial photographs taken 1952 and planimetric surveys 1927-1930. Revised 1962  
Hydrography compiled from USC&GS Charts 4110 (1960), 4133 (1961), and hydrographic surveys (1924)  
This information is not intended for navigational purposes  
Polyconic projection. Old Hawaiian datum  
10,000-foot grid based on Hawaiian coordinate system, zone 3  
1000-meter Universal Transverse Mercator grid ticks, zone 4, shown in blue  
Red tint indicates areas in which only landmark buildings are shown

111°  
TRUE NORTH  
MAGNETIC NORTH  
APPROXIMATE MEAN DECLINATION, 1962

SCALE 1:24 000  
1 000 0 1000 2000 3000 4000 5000 6000 7000 FEET  
1 5 0 1 KILOMETER

CONTOUR INTERVAL 40 FEET  
DOTTED LINES REPRESENT 10-FOOT CONTOURS  
DATUM IS MEAN SEA LEVEL  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOWER LOW WATER  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 2 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division

HAWAIIAN ISLANDS  
QUADRANGLE LOCATION

ROAD CLASSIFICATION  
Heavy-duty ————  
Medium-duty ————  
Light-duty ————  
Unimproved dirt ————  
State Route ○

Map of the Island of Oahu, scale 1:62 500, from an earlier survey is available

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION

EWA, HAWAII  
N2115—W15801.5/7.5  
1962

AUG - 9 1962

3160