


Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, International Boundary Commission,
and U.S. Lake Survey

Topography by photogrammetric methods from aerial
photographs taken 1964. Field checked 1966

Selected hydrographic data compiled from U.S. Lake Survey Chart 171
(1962). This information is not intended for navigational purposes

Polyconic projection, 1927 North American datum
10,000-foot grid based on New York coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks,
zone 18, shown in blue

Fine red dashed lines indicate selected fence and field lines where
generally visible on aerial photographs. This information is unchecked



CONTOUR INTERVAL 10 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS MEAN LOW WATER 92.5 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON, D.C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
Interstate Route U.S. Route State Route

CHAMPLAIN, N.Y.
NW 1/4 ROUSES POINT 15' QUADRANGLE
N4452.5-W7322.5/7.5
1966
AMS 6373 IV NW-SERIES V821

OCT 03 2003

USGS Library
Reston, VA.
Topo Archive

