



CONVERSION
SCALES



Feet Meters
1 3048
2 6096
3 9144
4 12192
5 15240
6 18288
7 21336
8 24384
9 27432
10 30480

To convert feet to meters
multiply by 3048
To convert meters to feet
multiply by 3.2808

Mapped, edited, and published by the Geological Survey
Control by USGS, NOS/NOAA, and International Boundary
Commission
Topography by photogrammetric methods from aerial photographs
taken 1972. Field checked 1973. Map edited 1980
Supersedes 1:24,000-scale map dated 1965
Canadian portion mapped by the Surveys and Mapping Branch,
Department of Energy, Mines, and Resources 1973
Selected hydrographic data compiled from NOS chart 14832 (1977)
This information is not intended for navigational purposes
Projection and 10,000-foot grid ticks. New York coordinate
system, west zone (transverse Mercator)
1000-meter Universal Transverse Mercator grid, zone 17
1927 North American Datum
To place on the predicted North American Datum 1983
move the projection lines 2 meters south and
19 meters west as shown by dashed corner ticks
Red tint indicates areas in which only landmark buildings are shown
There may be private inholdings within the boundaries of
the National or State reservations shown on this map



CONTOUR INTERVAL 5 FEET IN THE UNITED STATES AND 10 FEET IN CANADA
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS LOW WATER 568.6 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Primary highway, hard surface
Secondary highway, hard surface
Unimproved road
Light-duty road, hard or improved surface
Unimproved road
Interstate Route
U. S. Route
State Route

NIAGARA FALLS, N. Y.-ONT.
SE/4 NIAGARA FALLS 15' QUADRANGLE
N4300-W7900/7.5

1980

DMA 5170 II SE-SERIES V821

USGS
Historical File
National Mapping Div.

MAR 2 1981

4400