



Maped, edited, and published by the Geological Survey
Control by USGS, USC&GS, U. S. Lake Survey, and
International Boundary Commission
Topography by photogrammetric methods from aerial
photographs taken 1963. Field checked 1964
Selected hydrographic data compiled from U. S. Lake Survey
Chart 11 (1952). This information is not intended for
navigational purposes
Polyconic projection. 1927 North American Datum
10,000-foot grid based on New York coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks,
zone 18, shown in blue
To place on the predicted North American Datum 1983
move the projection lines 1 meter south and
30 meters west as shown by dashed corner ticks



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS
RIVER SURFACE BELOW SNELL LOCK 153.8 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty - - - - - Unimproved dirt - - - - -
○ State Route

USGS
Historical File
Topographic Division
HOGANSBURG, N. Y.—ONT.—QUE.

There may be private inholdings within the boundaries of
the National or State reservations shown on this map

N4452 5—W7437.5/7.5
1964
AMS 6073 1 NW—SERIES V021

FEB 25 1980
1313