

Unimproved dirt _____ lopography by photogrammetric methods from aerial KILOMETER _____ 0°31' 8½° 9 MILS 151 MILS photographs taken 1965. Field checked 1968 CONTOUR INTERVAL 10 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 State Route Polyconic projection 10,000-foot grid based on Kansas coordinate system, north zone KANSAS 1000-meter Universal Transverse Mercator grid ticks, zone 14, shown in blue. 1927 North American Datum UTM GRID AND 1980 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 To place on the predicted North American Datum 1983 LINCOLN NW, KANS. QUADRANGLE LOCATION move the projection lines 3 meters north and N3907.5-W9807.5/7.5 29 meters east as shown by dashed corner ticks AND STATE GEOLOGICAL SURVEY, LAWRENCE, KANSAS 66044 Revisions shown in purple and woodland compiled from 1968 PHOTOREVISED 1980 DMA 6362 II NW-SERIES V878 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST Fine red dashed lines indicate selected fence and field lines where aerial photographs taken 1978 and other source data This information not field checked. Map edited 1980 generally visible on aerial photographs. This information is unchecked