



Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1960. Field checked 1961

Polyconic projection. 1927 North American datum
10,000-foot grid based on Ohio coordinate system, south zone
1000-meter Universal Transverse Mercator grid ticks,
zone 17, shown in blue


Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is un-checked

Land lines based on the Ohio River Base. Dotted land lines established by private subdivision of the Ohio Company Purchase

There may be private inholdings within the boundaries of the National or State reservations shown on this map.

To place on the predicted North American Datum 1983, move the projection lines 5 meters south and 13 meters west as shown by dashed corner ticks

UTM GRID AND 1990 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET



SCALE 1:24 000
CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225
OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions shown in purple compiled in cooperation with U.S. Forest Service from aerial photographs taken 1984 and other sources. Partially field checked by U.S. Forest Service. Map edited 1990



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt - - - - -
State Route ○

CUTLER, OHIO

39081-C7-F-024

1981
PHOTOREVISED 1990
DMA 4662 IV SE - SERIES V852

REC'D FILE COPY
JUN 22 1990